## GET READY FOR PLAIN PACKAGING

No logos, colours, brand images or promotional information

Pack surfaces in a standard colour

Brand and product names in a standard colour and font



Graphic health warnings used in conjunction with plain packaging

Reduce attractiveness of tobacco packaging
Eliminate tobacco advertising and promotion
Limit deceptive tobacco packaging
Increase effectiveness of tobacco health warnings



31MAY:WORLDNOTOBACCODAY

www.who.int/world-no-tobacco-day

**#NoTobacco** 

## GET READY FOR PLAIN PACKAGING

No logos, colours, brand images or promotional information

Pack surfaces in a standard colour

Brand and product names in a standard colour and font



Graphic health warnings used in conjunction with plain packaging

Reduce attractiveness of tobacco packaging
Eliminate tobacco advertising and promotion
Limit deceptive tobacco packaging
Increase effectiveness of tobacco health warnings



31MAY: WORLDNOTOBACCODAY

www.who.int/world-no-tobacco-day

**#NoTobacco** 

## GET READY FOR PLAIN PACKAGING

No logos, colours, brand images or promotional information

Pack surfaces in a standard colour

Brand and product names in a standard colour and font SMOKING CAUSES PERIPHERAL PERIPHERAL CANCER OF CAUSES PERIPHERAL CANCER OF CANCER OF

warnings used in conjunction with plain packaging

**Graphic health** 

Reduce attractiveness of tobacco packaging
Eliminate tobacco advertising and promotion
Limit deceptive tobacco packaging
Increase effectiveness of tobacco health warnings



31MAY: WORLDNOTOBACCODAY

www.who.int/world-no-tobacco-day

Brand

**#NoTobacco**